

# IMPORTANT: PLEASE RETAIN THIS INSTRUCTION MANUAL FOR FUTURE REFERENCE



## 2009 Toyota Corolla, LE, XLE, S, & XRS Upper and Lower Stainless Steel Mesh & "Q" Grilles

G 23 G8P

### Notes to the Technician:

E&G is proud to present this package to you and reminds you that for technical information, contact Lynn Eash or Lee Clary at 410-381-4900. Do not attempt installation any E&G product without first reading the detailed instructions. E&G Classics will not warrant damaged parts or vehicle due to altered installation instructions.

Copyright © 2008 by E&G Classics, Inc.

All right reserved. The reproduction or utilization of this work in any form or any electronic, mechanical, or other means, no known or hereafter invented, including xerography, photocopying, and recording, and in any information storage retrieval system is forbidden without written permission of owners.



### Mesh Grille Part #1127-0102-09

Quantity	Description	Part No.
1	Upper Mesh Grille Surround	1127-0038-09
	Upper Grille Mesh Section	1127-0020-09
1	Lower Mesh Grille (includes):	*****
	12 Gage S.S. Surround	1127-0022-09
	Chrome Plated Mesh Section	1127-0021-09
	(2) Small Black Plastic Washers	1999-0256-09
	(2) #8-32 ESNA Half Nuts	1999-0065-00
1	Hardware Kit (components listed below):	1127-1902-09
	(12) 8-32 ESNA Half Nuts	1999-0065-00
	(13) 1.006" x .189" x .064 Black Washers	1999-0264-00
	(6) .156" x 1" Vinyl Caps	1999-0264-00
	(1) #10 x 5/8" S.S. Phillips Screw	1999-0238-00

### "Q" Grille Part #1127-0185-09Q


Quantity	Description	Part No.
1	Upper "Q" Grille	1127-0184-09Q
1	Lower "Q" Grille	1127-0183-09Q
1	Hardware Kit (components listed below):	1127-1902-09
	(12) 8-32 ESNA Half Nuts	1999-0065-00
	(13) 1.006" x .189" x .064 Black Washers	1999-0264-00
	(6) .156" x 1" Vinyl Caps	1999-0264-00
	(1) #10 x 5/8" S.S. Phillips Screw	1999-0238-00

## WARNING:


**PLEASE HANDLE WITH CARE! THE EDGES OF THE STAINLESS STEEL MESH & GRILLE CAN BE EXTREMELY SHARP!**




1. Open the hood and remove the outer phillips screws, center 10mm hex bolt and corresponding push fasteners to release the bumper cover from the support brackets.



2. For "S" and "Xrs" models: Pull the bumper cover out far enough to reach behind the factory grille and squeeze the emblem mounting clips and push the emblem straight out to remove.



3. Trim and install the supplied .156" x 1" vinyl caps over the lower studs on the upper grille surround, making sure that several threads protrude from the vinyl caps (as shown). For Mesh Grilles: Align the mesh section onto the back of the upper grille surround.



4. Trim and install the supplied .156" x 1" vinyl caps over the lower studs on the lower grille surround, making sure that several threads protrude from the vinyl caps (as shown).







5. Use wide masking tape and carefully mask around the factory upper and lower grilles prior to E&G grille installation.




6. From underneath the vehicle, install the supplied black plastic washers and #8-32 ESNA half nuts onto each of the four (4) mounting studs and begin tightening.




7. Carefully remove the masking tape, peeling it back over itself to minimize tape breakage. You can shift the grille up and down and side to side for extra clearance when removing the tape. Once the tape is removed, finish tightening the lower hardware.



8. Carefully align the upper mesh section and surround (or "Q" grille) into place, making sure the studs pass through the existing openings in the factory grille. Pull out on the bumper cover to access the back of the factory grille and install the supplied black plastic washers and #8-32 ESNA half nuts and begin tightening. Once you remove the protective tape, go back and finish tightening the ESNA half nuts.



10. For vehicles equipped with a front license plate bracket: Remove the factory license plate bracket lower mounting tabs from the bracket (see cross-hatched areas), then reuse the factory upper mounting screws to reinstall.



11. For "S" & Xrs" Emblems: Grind off all mounting tabs with the exception of the cylindrical boss (see arrow). Reinstall the emblem onto the grille, passing the cylindrical boss through one of the mesh openings or "Q" slots and the factory grille opening and install it using the supplied washer and screw.



12. Finished installation.

## WARRANTY INFORMATION:

E&G Classics, Inc. warrants its chrome parts and products to be free from defects in material, workmanship or finish for Thirty-Six (36) months from the date of shipment by E&G. This warranty is limited to the repair or replacement, at E&G Classics option, of the defective part or product.

### To obtain performance under this warranty you must:

- 1.) Present your E&G unit to an authorized distributor in your area with proof of purchase.
- 2.) If no distributor is available, contact E&G Classics (address below) for authorization to return unit.
- 3.) Returns - All unauthorized returns will be refused. Merchandise approved by E&G for return must have been purchased within the Thirty-Six (36) months. All returns require an authorization number obtained from E&G and the actual return must be accompanied by the written authorization form filled out completely. All merchandise must be inspected upon receipt and shortages reported within 48 hours. All merchandise must be in a resalable condition. Merchandise must be packed carefully in the original packing. If original packing is no longer usable, repack item(s) comparable to original manner. All returns are subject to a 25% handling charge. Special order items are not returnable. Defective merchandise must have an explanation of the problem. No credit will be issued unless invoice number and date of purchase has been supplied. Manufacturer shall be sole judge of defects in a product.
- 4.) UPS accounts - All returns must be prepaid. Do not send return shipments freight collect. Once E&G has made its decision and it is a claim against our warranty policy, E&G will credit incoming freight on damaged parts.
- 5.) No discontinued part or parts changed due to body style are returnable.

**For Return Authorization, write or telephone: E&G Classics, Inc., 8910 McGaw Court, Columbia, MD 21045 (410) 381-4900 Attn: Return Department.**

You are responsible for inspecting all packages containing E&G Classics' parts and product immediately upon their receipt and must file a claim with the carrier for any damage disclosure by such inspection and notify E&G classics in writing at the above address of any such damage. This warranty does not extend to any of our products which have been subject to misuse, neglect, accident or have been altered or repaired in any way. This warranty does not cover any accidental or consequential damages for any breach of this warranty agreement. E&G Classics shall have no responsibility for any loss of time, inconvenience, commercial loss or consequential damage, nor shall E&G be liable for any injury or damage to persons or property by reason of any defect in material, workmanship or finish of its parts or products. This warranty gives you specific legal rights and you may also have other rights which may vary from state to state.